Spider Fauna of India: Catalogue and Bibliography

BY

B. K. TIKADER

Zoological Survey of India, 8, *Lindsay Street*, *Calcutta*-16

[*Continued from Vol.* **67** (2):221]

Family OXYOPIDAE

Genus *OXYOPES* Latreille 1806

194. **Oxyopes chittrae** Tikader 1965. *Proc. Indian Acad. Sci.* **62**:141, fig. 1a-c.

Distribution: India: National Chemical Laboratory Compound, Poona, Maharashtra.

Type: **ZSI.**

195. **Oxyopes hindostanicus** Pocock 1901. *J. Bombay nat. Hist. Soc.* **13**: 482.

Distribution: India: Throughout India and Ceylon.

Type: **BMNH.**

196. **Oxyopes ryvesii** Pocock 1901. *J. Bombay nat. Hist. Soc.* **13**: 482.

Distribution: India: Allahabad, U.P.

Type: **BMNH.**

197. **Oxyopes sushilae** Tikader 1965. *Proc. Indian Acad. Sci.* **62**: 142, fig. 2a, b.

Distribution: India: Poona University Compound, Maharashtra.

Type: **ZSI.**

198. **Oxyopes wroughtoni** Pocock 1901. *J. Bombay nat. Hist. Soc.* **13**: 483.

Distribution: India: Bulsar, Gujarat.

Type: **BMNH.**

Genus *PEUCETIA* Thorell 1869

199. **Peucetia choprai** Tikader 1965. *Proc. Indian Acad. Sci.* **62** : 143, fig. 3a-c.

Distribution: India: Pashan near Poona City, Maharashtra.

Type: **ZSI.**

200. **Peucetia graminea** Pocock 1900. FAUNA BRIT. INDIA *Arachnida*, p. 356.

Distribution: India: Western India, Bulsar in Gujarat.

Type: **BMNH.**

201. **Peucetia viridana** Stoliczka 1869. *J. Asia. Soc. Bengal* **38** : 220, fig. i.

Distribution: India: Madras, Pondicherry, Ootacamund, Travancore, Calcutta. Ceylon.

Type: **ZSI.**

Family PHOLCIDAE

Genus *ARTEMA* Walckenaer 1837

202. **Artema atlanta** Walckenaer 1837. *Ins. Apt.* **1** : 656.

Distribution: India: Travancore, Meerut, Rajasthan, Poona, West Bengal, East Khandesh, Karachi, Calcutta. Burma. Ceylon.

Type: ?

Genus *CROSSOPRIZA* Simon 1893

203. **Crossopriza lyoni** (Blackwall) 1867

Pholcus lyoni Blackwall 1867. *Ann. Mag. Nat. Hist.* **19** : 392.

Distribution: India: Madras, Allahabad, Rajasthan, Meerut, West Bengal. Burma.

Type: **BMNH.**

Genus *SMERINGOPUS* Simon 1890

204. **Smeringopus elongatus** Vinson 1863. *Aran. Reunion, etc.*, p. 135, fig. 5.

Distribution: India: Trivandrum, Pondicherry, Andaman Islands. Burma. Ceylon.

Type: ?

Family Platoridae

Genus *PLATOR* Simon 1880

205. **Plator indicus** Simon 1897. *Mem. Soc. Zool. France* **10** : 256.
Distribution: India: Himalayas, Western India, Poona, Konkan, Mundali, Dalhousie.
Type: **MNHN.**

206. **Plator ixodinus** Pocock 1899. *J. Bombay nat. Hist. Soc.* **12** : 753.
Distribution: India: Konain and Mundali in the Himalayas.
Type: **BMNH.**

Family Psechridae

Genus *FECENIA* Simon 1887

207. **Fecenia travancoria** Pocock 1899. *J. Bombay nat. Hist. Soc.* **12** : 750.
Distribution: India: Madatory, Kerala.
Type: **BMNH.**

Genus *PSECHRUS* Thorell 1878

208. **Psechrus alticeps** Pocock 1899. *J. Bombay nat. Hist. Soc.* **12** : 751.
Distribution: India: Trivandrum, Kerala.
Type: **BMNH.**

Family Salticidae

Genus *HARMOCHIRUS* Simon 1885

209. **Harmochirus lloydii** Narayan 1915. *Rec. Indian Mus.* **11** : 394, fig. 1.
Distribution: India: Calcutta.
Type: **ZSI.**

Genus *LYSSOMANES* Hents 1845

210. **Lyssomanes sikkimensis** Tikader 1967. *Proc. Indian Acad. Sci.* **66** : 120, fig. 3a, b.
Distribution: India: Ligship, West Sikkim.
Type: **ZSI.**

Genus *MAEVIA* Koch 1846

211. **Maevia himalaya** Tikader 1967. *Proc. Indian Acad. Sci.* **66** : 118, fig. 2a, b.

Distribution: India: Gezing, W. Sikkim.

Type: **ZSI.**

Genus *MARPISSA* Koch 1846

212. **Marpissa tigrina** Tikader 1965. *Sci. & Cult. Calcutta* **31** : 261, fig. 1a, b.

Distribution: India: Poona, Maharashtra.

Type: **ZSI.**

Genus *MYRMARACHNE* Macleay 1899

213. **Myrmarachne himalayensis** Narayan 1915. *Rec. Indian Mus.* **11** : 399, fig. 2.

Distribution: India: Chumti, Darjeeling district, West Bengal.

Type: **ZSI.**

214. **Myrmarachne incertus** Narayan 1915. *Rec. Indian Mus.* **11** : 396, fig. 2.

Distribution: India: Calcutta, Pusa, Bihar.

Type: **ZSI.**

215. **Myrmarachne laetus** Thorell 1895. SPIDERS OF BURMA, p. 320.

Distribution: India: Calcutta, Madras, Nicobar Islands. Burma.

Type: **BMNH.**

216. **Myrmarachne manducator** (Westwood) 1841.

Salticus manducator Westwood 1841. *Mag. de. Zool.*, pl. 1.

Distribution: India: Siripur, Saran, Bihar. Singapore. Burma.

Type: ?

217. **Myrmarachne paivae** Narayan 1915. *Rec. Indian Mus.* **11** : 403, fig. 3.

Distribution: India: Katihar, Purnea district, Bihar.

Type: **ZSI.**

218. **Myrmarachne plataleoides** (Cambridge) 1869.

Salticus plataleoides Cambridge 1869. *Ann. Mag. Nat. Hist.* **3** : 68.

Distribution: India: Calcutta, Sibpur near Calcutta, Pusa, Bihar. Ceylon.

Type: **BMNH.**

219. **Myrmarachne ramunii** Narayan 1915. *Rec. Indian Mus.* **11** : 400.

Distribution: India: Madras.

Type: **ZSI.**

220. **Myrmarachne satarensis** Narayan 1915. *Rec. Indian Mus.* **11** : 404.

Distribution: India: Koyna, Satara district, Maharashtra.

Type: **ZSI.**

221. **Myrmarachne tristis** Simon 1889. *Ann. Soc. Ent. France*, p. 115.

Distribution: India: Calcutta, Madras.

Type: **MNHN.**

222. **Myrmarachne uniseriatus** Narayan 1915. *Rec. Indian Mus.* **11** : 402.

Distribution: India: Madras.

Type: **ZSI.**

Genus *PLEXIPPUS* Koch 1846

223. **Plexippus paykulli** (Aud.) 1825.

Attus paykulli Aud. 1825. *Savigny's Descr. Egypt Arach.* **1** (4) : 172.

Distribution: India: Rothak, West Sikkim, Shillong, Allahabad. America. Europe. Africa. Burma. Ceylon.

Type: ?

Genus *SALTICUS* Latreille 1804

224. **Salticus ranjitus** Tikader 1967. *Proc. Indian Acad. Sci.* **66** : 117, fig. 1a-e.

Distribution: India: Nayabazar, Sikkim, Gujarat.

Type: **ZSI.**

Family Scytodidae

Genus *LOXOSCELES* Heinecken & Lowe 1832

225. **Loxosceles indrabeles** Tikader 1962. *Proc. Zool. Soc.* **16** : 24, fig. 1a-c.

Distribution: India: Poona, Maharashtra.

Type: **ZSI.**

Genus *SCYTODES* Latreille 1804

226. **Scytodes mawphlongensis** Tikader 1966. *Curr. Sci.* **35** : 627, fig. 1a-d.

Distribution: India: Khasi and Jaintia Hills, Assam.

Type: **ZSI.**

227. **Scytodes propinqua** Stoliczka 1869. *J. Asia. Soc. Bengal* **38** : 222.

Distribution: India: Calcutta, Poona, Punjab.

Type: **ZSI.**

228. **Scytodes semipullata** Simon 1908. *Bull. Sci. Fran. Belgigue* **42** : 75.

Distribution: India: Siju cave, Garo Hills, Assam.

Type: **MNHN.**

229. **Scytodes thoracica** (Latreille) 1802.

Aranea thoracica Latreille 1802. *Hist. Nat. Incrus. Ins.* **7**: 249.

Distribution: India, Australia, Europe, America and Africa.

Type: ?

Family SPARASSIDAE

Genus *SPARASSUS* Walckenaer 1805

230. **Sparassus admiratus** Pocock 1901. *J. Bombay nat. Hist. Soc.* **13** : 492.

Distribution: India: Bombay, Maharashtra.

Type: **BMNH.**

231. **Sparassus impudicus** Thorell 1887. *Ann. Mus. Genova* **25** : 241.

Distribution: India: Andaman Islands, Burma.

Type: **BMNH.**

232. **Sparassus lamarcki** (Latreille) 1806.

Thomisus lamarcki Latreille 1806. *Gen. Crust. etc.* **1**: 115.

Distribution: India: Chingleput, Coimbatore, Pondicherry. Ceylon. Madagascar.

Type: ?

233. **Sparassus patagiatus** Simon 1897. *Mem. Soc. Zool. France* **10** : 256.

Distribution: India: Dehra Dun.

Type: **MNHN.**

234. **Sparassus phipsoni** Pocock 1899. *J. Bombay nat. Hist. Soc.* **12** : 752.

Distribution: India: Bombay.

Type: **BMNH.**

235. **Sparassus stimulator** Simon 1897. *Mem. Soc. Zool. France* **10** : 258.

Distribution: India: Himalayas.

Type: **MNHN.**

236. **Sparassus tener** Thorell 1891. *K. Sv. Vet. Akad. Hondl.* **24** : 80, fig. 1.

Distribution: India: Assam.

Type: **BMNH.**

237. **Sparassus wroughtoni** Simon 1897. *Mem. Soc. Zool. France* **10** : 257.

Distribution: India: North Konkan, Maharashtra, Bulsar, Gujarat.

Type: **MNHN.**

238. **Sparassus milleti** Pocock 1901. *J. Bombay nat. Hist. Soc.* **13** : 494.

Distribution: India: Nasik, Maharashtra.

Type: **BMNH.**

239. **Sparassus rotundiceps** Pocock 1901. *J. Bombay nat. Hist. Soc.* **13** : 493.

Distribution: India: Ootacamund.

Type: **BMNH.**

240. **Sparassus obesulus** Pocock 1901. *J. Bombay nat. Hist. Soc.* **13** : 493.

Distribution: India: Poona, Maharashtra.

Type: **BMNH.**

241. **Sparassus pearsoni** Pocock 1901. *J. Bombay nat. Hist. Soc.* **13** : 492.

Distribution: India: Poona, Eastern Khandesh, Maharashtra.

Type: **BMNH.**

242. **Sparassus iranii** Pocock 1901. *J. Bombay nat. Hist. Soc.* **13** : 492.

Distribution: India: Poona, Maharashtra.

Type: **BMNH.**

243. **Sparassus hampsoni** Pocock 1901. *J. Bombay nat. Hist. Soc.* **13** : 491.

Distribution: India: Nilgiri Hills.

Type: **BMNH.**

244. **Sparassus fuligineus** Pocock 1901. *J. Bombay nat. Hist. Soc.* **13** : 491.

Distribution: India: Satara, Maharashtra.

Type: **BMNH.**

Family TETRAGNATHIDAE

Genus *EUCTA* Simon 1881

245. **Eucta javana** Thorell 1895. SPIDERS OF BURMA, p. 146.

Distribution: India: Western Ghats, Travancore, Bangalore, Mysore, Ootacamund, Nilgiri Hills, Chilka Lake, Madras, Nagpur, Bihar, West Bengal, Shillong. Sikkim. Burma.

Type: **BMNH.**

Genus *ORSINOME* Thorell 1890

246. **Orsinome armata** Pocock 1901. *J. Bombay nat. Hist. Soc.* **13**: 480.

Distribution: India: Shillong, Assam.

Type: **BMNH.**

247. **Orsinome listeri** Gravely 1921. *Rec. Indian Mus.* **22**: 449, fig. 7c.

Distribution: India: Pashok, Singla, Darjeeling district, West Bengal.

Type: **ZSI.**

248. **Orsinome marmorea** Pocock 1901. *J. Bombay nat. Hist. Soc.* **13**: 479.

Distribution: India: North Kanara, Nilgiri Hills, Pachmari, in the Satpura Hills, Maharashtra.

Type: **BMNH.**

Genus *TETRAGNATHA* Latreille 1804

249. **Tetragnatha caelestis** Pocock 1901. *J. Bombay nat. Hist. Soc.* **13**: 478.

Distribution: India: Shillong, Assam.

Type: **BMNH.**

250. **Tetragnatha cochinensis** Gravely 1921. *Rec. Indian Mus.* **22**: 442, fig. 4a, b.

Distribution: India: Cochin, Bangalore, Nilgiri Hills, Parambikulam.

Type: **ZSI.**

251. **Tetragnatha delumbis** Thorell 1891. *Sv. Ak. Handl.* **24**: 149.

Distribution: India: Little Nicobar.

Type: **ZSI.**

252. **Tetragnatha fletcheri** Gravely 1921. *Rec. Indian Mus.* **22**: 440, fig. 3a.

Distribution: India: Shillong, Assam.

Type: **ZSI.**

253. **Tetragnatha geniculata** Karsch 1892. *Berlin. Ent. Zeit.* **36**: 267.

Distribution: India: Poona, Maharashtra, Nilgiri Hills, Madras.

Type: ?

254. **Tetragnatha gracilis** (Stoliczka) 1869. *J. Asia. Soc. Bengal* **38**: 202.

Distribution: India: Chingleput, Calcutta, Andaman Islands, Bangalore, Madras, Darjeeling, Kalimpong. Ceylon. Burma.

Type: **ZSI.**

255. **Tetragnatha listeri** Gravely 1921. *Rec. Indian Mus.* **22**: 443, fig. 4c, d.

Distribution: India: Kalimpong, Darjeeling, Ernakulam, Cochin, Shillong. Ceylon. Burma. East Pakistan. Nepal. Siam.

Type: **ZSI.**

256. **Tetragnatha mackenziei** Gravely 1921. *Rec. Indian Mus.* **22**: 438, fig. 1e, g.

Distribution: India: Western Ghat, Travancore, Mahabaleshwar, Bangalore, Mysore, Siripur, Bihar, Calcutta, Salt Lake.

Type: **ZSI.**

257. **Tetragnatha mandibulata** Walckenaer 1837. *Hist. Nat. Ins. Apteres* **2**: 211.

Distribution: India: Poona, Shillong, Nicobar Islands. Burma. Austro-Malaysia.

Type: ?

258. **Tetragnatha moulmeinensis** Gravely 1921. *Rec. Indian Mus.* **22**: 439, fig. 2.

Distribution: India: Shillong, Moulmein, Burma.

Type: **ZSI.**

259. **Tetragnatha paradisea** Pocock 1901. *J. Bombay nat. Hist. Soc.* **13**: 479.

Distribution: India: Shillong, Assam.

Type: **BMNH.**

260. **Tetragnatha sutherlandi** Gravely 1921. *Rec. Indian Mus.* **22**: 444, fig. 5a, b.

Distribution: India: Shillong, Cochin, Trichur, Saran, Bihar, Serampore, West Bengal, Kalimpong, Darjeeling.

Type: **ZSI.**

261. **Tetragnatha viridorufa** Gravely 1921. *Rec. Indian Mus.* **22**: 445, fig. 6a, b.

Distribution: India: Barkuda Island in Chilka Lake, Puri, Orissa, Ernakulam.

Type: **ZSI.**

(*to be continued*)